

MACHINE-DATA

Machinetype	: Cylindrical Grinding Machine - Universal
Make	: KELLENBERGER
Type	: 1500U BEMA Aktuell VISION
Year	: bis 2012
Control type	:
Control	:
Storage location	: 73230 Kirchheim-BEMA
Origin	: Switzerland
Delivery time	: immediately
Quotation	:
Price	: on request



TECHNICAL DATA

grinding diameter	350 mm
grinding length	1500 mm
centre height	175 mm
weight of the machine ca.	3 t

TECHNICAL DESCRIPTION

High-End Kellenberger 1500U

Ideal for spindle producer or overhauler

- BEMA Internal grinding device with separate, cooled motor.
Grinding spindle and internal grinding spindle motor electrically interlocked!
Internal grinding spindle can only be switched on when it is in position.
A quantum leap in safety
- Infinitely variable grinding spindle speed 1000-1500 rpm
- Infinitely variable internal grinding spindle speed 0-100%.
- Digital display of grinding spindle speeds
- Swivelling angle display top table
- swivel angle display grinding headstock
- Marposs gaper sensor for external grinding only
- fluid gating sensor Marposs internal grinding
- Center height up to 250mm possible

Machine is already delivered.

*Identical machine can be built with additional
with additional options.*

Die Werkzeugmaschine entspricht zum derzeitigen Zeitpunkt nicht den grundlegenden Sicherheits- und Schutzanforderungen wie in der BetrSichV 2015 genannt.

Eine Anhebung des erforderlichen Mindest-Schutzzieles ist mittels einer Gefährdungsbeurteilung nach BetrSichV zu ermitteln.

VIDEO-LINKS

WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Cylindrical_Grinding_Machine_-_Universal/KELLENBERGER/1500U_BEMA_Aktuell_VISION/1056-BV1500

MACHINE PICTURES

